Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	mobile (user or terminal or station or device) with boot with connection with (access point or tower or base station or bs)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON .	2007/08/28 15:31
L2	285	(user or terminal or station or device) near5 (boot\$4 or start\$3) with connection near5 (access point or tower or base station or bst)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/28 15:32
L3	285	(user or terminal or station or device) near5 (boot\$4 or start\$3) with connection near5 (access point or tower or base station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/28 15:32
L4	. 68	mobile (user or terminal or station or device) near5 (boot\$4 or start\$3) with connection near5 (access point or tower or base station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/28 15:34
L5	4	mobile (user or terminal or station or device) near5 (boot up or power\$2 on or startup) with connect\$4 near5 (access point or tower or base station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/28 15:44
Ļ6	4	mobile (user or terminal or station or device) with (boot up or power\$2 on or startup) with connect\$4 near5 (access point or tower or base station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ ·	ON	2007/08/28 15:44
L7	0	mobile (user or terminal or station or device) with (boot\$3 up or power\$2 on or turn\$3 on or switch\$3 on or start\$3 up) with connect\$4 near5 nearest	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/28 15:45
L8	0	mobile (node or user or terminal or station or device) with (boot\$3 up or power\$2 on or turn\$3 on or switch\$3 on or start\$3 up) with connect\$4 near5 nearest	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/28 15:46

	· · · · · · · · · · · · · · · · · · ·			,		
L9	2	(node or user or terminal or station or device) with (boot\$3 up or power\$2 on or turn\$3 on or switch\$3 on or start\$3 up) with connect\$4 near5 nearest	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/28 15:46
L10	4	mobile (unit or node or user or terminal or station or device) with (boot\$3 or power\$3 or turn\$3 on or switch\$3 on or start\$3 up) with connect\$4 near5 nearest	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/28 15:47
S1	5441	(370/331).ccls. or (455/436,437, 439,440,442).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 14:15
S2	3	S1 and (gps near5 (terminal or user or station or device)) and (ip address near2 availab\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 14:20
S3	236	S1 and (gps near5 (terminal or user or station or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON .	2007/08/27 16:29
S4	9	S1 and (address near5 available) near5 (stor\$3 or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 15:10
S5	2	(handoff or hand-off or handover or hand-over) same (address near5 available) near5 (stor\$3 or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 14:39
S6 _	60	(handoff or hand-off or handover or hand-over) and (address near5 available) near5 (stor\$3 or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ ·	ON	2007/08/27 14:48

			_			
S7	13	gps and (handoff or hand-off or handover or hand-over) and (address near5 available) near5 (stor\$3 or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 14:40
S8	12	(handoff or hand-off or handover or hand-over) and (ip address near5 available) near5 (stor\$3 or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 14:48
S9	13	S1 and (address near5 available) near10 (stor\$3 or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 15:14
S10	29	S1 and (address near1 pool)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 15:37
S11	1	10/325057	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 15:37
S12		10/325057.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 16:28
S13		S1 and (gps near5 (terminal or user or station or device)) and arp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 16:29
S14	10	S1 and (gps near5 (terminal or user or station or device)) with geographic location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 16:43

S15	1	10/812124	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 17:56
S16	12	S1 and (proxy ARP or inverse ARP or reverse ARP or DHCP ARP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 18:30
S17	48	S1 and (proactive with (handoff or hand-off or handover or hand-over))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 20:06
S18	3	10/138389	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/28 15:29